



**Product:** **BenchMark™ Fetal Bovine Serum**  
Triple 0.1µm sterile-filtered

**Catalog #: 100-106**

**Lot #: A16H74K**

**Origin: Costa Rica (100%)**

**Manufacture Date: Aug 2019**

**Expiration Date: Aug 2024**

TEST	METHODOLOGY	SPECIFICATION	RESULTS
Albumin		Test and Report	2.4 g/dL
Alkaline Phosphatase		Test and Report	277 U/L
ALT (SGPT)		Test and Report	3 U/L
AST (SGOT)		Test and Report	20 U/L
GGT		<10 U/L	5 U/L
Bilirubin, Total		Test and Report	0.2 mg/dL
BUN		Test and Report	17 mg/dL
Calcium		Test and Report	3.38 mM
Chloride		Test and Report	102 mM
Cholesterol		Test and Report	29 mg/dL
Cortisol		Test and Report	<5.5 nM
Creatinine		Test and Report	2.7 mg/dL
Estradiol		Test and Report	116.7 pM
Glucose		Test and Report	2.99 mM
IgG	ELISA	<0.300 mg/mL*	0.151 mg/mL
Insulin		Test and Report	40.5 pM
Iron, Serum		Test and Report	173 ug/dL
Phosphorus		Test and Report	2.75 mM
Potassium		Test and Report	10.0 mM
Progesterone		Test and Report	<0.19 nM
Protein, Total	Biuret	2.5-6.0 g/dL	3.6 g/dL
Sodium		Test and Report	142 mM
Testosterone		Test and Report	<0.03 nM
T3		Test and Report	1.23 nM
T4		Test and Report	180 nM
Triglycerides		Test and Report	57 mg/dL
Tetracycline		<4 ng/mL	Pass
Uric Acid		Test and Report	1.4 mg/dL

*For Cell Culture, further Manufacturing and Research use only. Not for direct Therapeutic use.*

*Results shown were obtained by carefully performed methods believed to be reliable. However, since some results may vary by methodology, it is suggested that tests for which results are particularly critical be repeated by the end user.*

*Our fetal bovine serum meets all USDA requirements and has passed ante- and post-mortem inspection by a licensed veterinarian. It is collected in countries recognized as being free of foot-and-mouth disease and rinderpest. The origin of all fetal bovine serum is traceable by lot number, date and country of collection.*

*Precipitates may develop in this product upon freezing and/or thawing; this occurrence does not impact culture performance.*

*\*Some geographic regions may test higher than 0.300 mg/mL. If this be the case, refer to GGT results less than 10 U/L to ensure FBS purity.*

CREATED BY/ DATE

VERIFIED BY/ DATE

**Product:** **BenchMark™ Fetal Bovine Serum**  
 Triple 0.1µm sterile-filtered

**Catalog #: 100-106**

**Lot #: A16H74K**

**Origin: Costa Rica (100%)**

**Manufacture Date: Aug 2019**

**Expiration Date: Aug 2024**

TEST	METHODOLOGY	SPECIFICATION	RESULTS
<b>Biological Testing</b>			
Endotoxin	USP<85>	<10.0 EU/mL	<0.200 EU/mL
Hemoglobin	Fleming, AF and Woolf, AJ (1965)	<20.0 mg/dL	8.83 mg/dL
<b>Microbiological Testing</b>			
<b>Sterility</b>			
	USP<71>		
Bacteria		Not Detected	Not Detected
Fungi		Not Detected	Not Detected
Mycoplasma	Barile, MF and Kern, J (1971)	Not Detected	Not Detected
<b>Viral Testing</b>			
	9 CFR 113.53c [113.46, 113.47]		
Cytopathic Agents		Not Detected	Not Detected
Hemadsorbing Agents		Not Detected	Not Detected
<b>Bovine Viral Diarrhea Ab Titer</b>			
Type I		Test and Report	1:2
Type II		Test and Report	1:1
<b>Extraneous Viruses (FAb)</b>			
Bluetongue Virus		Not Detected	Not Detected
Bovine Adenovirus		Not Detected	Not Detected
Bovine Parvovirus		Not Detected	Not Detected
Bovine Viral Diarrhea (cytopathic)		Not Detected	Not Detected
Bovine Viral Diarrhea (non-cytopathic)		Test and Report	Tested
Bovine Syncytial Virus		Not Detected	Not Detected
Bovine Rabies Virus		Not Detected	Not Detected
Reovirus		Not Detected	Not Detected
<b>Physical Testing</b>			
Electrophoretic Pattern	Cellulose Acetate	Normal	Normal
Osmolality	USP<785>	260-350 mOsm/kg	304 mOsm/kg
pH @ RT	USP<791>	6.5 – 8.5	7.13