



**CERTIFICATE OF ANALYSIS**  
**BenchMark™ Fetal Bovine Serum**  
**(Catalog Number 100-106)Heat Inactivated\***

**Lot Number:** A59H74L

**Date of Manufacture:** AUG 2020

**Origin:** Nicaragua

**Product Expiry:** AUG 2025

For Cell culture, Further Manufacturing or Research use Only. Not for Direct Therapeutic Use.

**Storage Temperature:** ≤ -10°C

**Product description:** BenchMark™ Fetal Bovine Serum is sterile-filtered through a 0.1 µm filter prior to freezing.

Test	Methodology	Specification	Analysis
<b>Biological Testing</b>			
Endotoxin	USP<85>, EP 2.6.14	<10.0 EU/mL	<0.5 EU/mL
Hemoglobin	Fleming, AF and Woolf, AJ (1965)	<20.0 mg/dL	11.63 mg/dL
<b>Microbiological Testing</b>			
Sterility	USP<71>, EP 2.6.1		
Bacteria		No Growth	No Growth
Fungi		No Growth	No Growth
Mycoplasma	Barile, MF and Kern, J (1971), EP 2.6.7	Not Detected	Not Detected
<b>Viral Testing</b>			
	9CFR 113.53c[113.46, 113.47]		
Cytopathic Agents		Not Detected	Not Detected
Hemadsorbing Agents		Not Detected	Not Detected
Bovine Viral Diarrhea Ab Titer			
Type I		Test and Report	<Undiluted
Type II		Test and Report	Undiluted
<b>Extraneous Viruses (FAb)</b>			
Bluetongue Virus		Not Detected	Not Detected
Bovine Adenovirus		Not Detected	Not Detected
Bovine Parvovirus		Not Detected	Not Detected
Bovine Viral Diarrhea(cytopathic)		Not Detected	Not Detected
Bovine Viral Diarrhea(non-cytopathic)		Test and Report	Not Detected
Bovine Syncytial Virus		Not Detected	Not Detected
Bovine Rabie Virus		Not Detected	Not Detected
Reovirus		Not Detected	Not Detected



Test	Methodology	Specification	Analysis
<b>Physical Testing</b>			
Electrophoretic Pattern	Cellulose Acetate	Normal	Normal
Osmolality	USP<785>, EP 2.2.35	260 – 350 mOsm/ kg	304.0 mOsm/kg
pH@RT	USP<791>	6.5 – 8.5	7.40
<b>Biochemistry</b>			
Albumin		Test and Report	1.7g/dL
Alkaline Phosphatase		Test and Report	339 IU/L
ALT (SGPT)		Test and Report	10 IU/L
AST (SGOT)		Test and Report	50 IU/L
GGT		<10 U/L	6 IU/L
Bilirubin, Total		Test and Report	0.10 mg/dL
BUN		Test and Report	19 mg/dL
Calcium		Test and Report	14.1 mg/dl
Chloride		Test and Report	99 mEq/L
Cholesterol		Test and Report	32 mg/dL
Cortisol		Test and Report	0.217 ug/dL
Creatinine		Test and Report	2.9 mg/dL
Estradiol		Test and Report	13.55 pg/mL
Glucose		Test and Report	52 mg/dL
IgG	ELISA	<0.300 mg/mL**	0.105 mg/mL
Insulin		Test and Report	5.94 uIU/L
Iron, Serum		Test and Report	162 µg/dL
Phosphorus		Test and Report	8.4 mg/dL
Potassium		Test and Report	>10.0 mEq/L
Progesterone		Test and Report	<0.06 ng/mL
Protein, Total	Biuret	2.5 – 6.0 g/dL	3.70 g/dL
Sodium		Test and Report	138 mEq/L
Testosterone		Test and Report	<0.01 ng/mL
T3		Test and Report	43.2 ng/dL
T4		Test and Report	17.1 µg/dL
Triglycerides		Test and Report	48 mg/dL
Tetracycline		<4 ng/mL	Not Detected
Uric Acid		Test and Report	0.8 mg/dL

Our fetal bovine serum meets all USDA requirements and has passed ante and post-mortem inspection by a licensed veterinarian. It is collected in countries recognized as being free of foot-and-mouth disease and rinderpest. The origin of all fetal bovine serum is traceable by lot number, date and country of collection. Precipitates may develop in this product upon freezing and/or thawing; this occurrence does not impact culture performance. \*\*Some geographic regions may test higher than 0.300 mg/mL. If this be the case, refer to GGT results less than 10 U/L to ensure FBS purity. \*Results shown were obtained by carefully performed methods believed to be reliable prior to heat inactivation. The testing that has been performed as part of this lot release has been reviewed by Quality Assurance personnel and has confirmed that the testing meets the specifications presented on this Certificate of Analysis.

Megha Khalasi

Name

08 MAR 2021

Date

QC Supervisor

Title