

Certificate of Analysis

Created January 17, 2019

Product:

BenchMark™ Fetal Bovine Serum

Triple 0.1µm sterile-filtered

Catalog #: 100-106 Lot #: A61G00J

Origin: Nicaragua (100%)

Manufacture Date: Oct 2018 Expiration Date: Oct 2023

Harris Mr. 1878			
TEST	METHODOLOGY	SPECIFICATION	RESULTS
Biological Testing			
Endotoxin	USP<85>	<10.0 EU/mL	<0.500 EU/mL
Hemoglobin	Fleming, AF and Woolf, AJ (1965)	<20.0 mg/dL	13.4 mg/dL
Microbiological Testing			
Sterility	USP<71>		
Bacteria		Not Detected	Not Detected
Fungi		Not Detected	Not Detected
Mycoplasma	Barile, MF and Kern, J (1971)	Not Detected	Not Detected
Viral Testing	9 CFR 113.53c [113.46, 113.47]		
Cytopathic Agents		Not Detected	Not Detected
Hemadsorbing Agents		Not Detected	Not Detected
Bovine Viral Diarrhea Ab Titer			
Туре І		Test and Report	1:1
Type II		Test and Report	1:1
Extraneous Viruses (FAb)			
Bluetongue Virus		Not Detected	Not Detected
Bovine Adenovirus		Not Detected	Not Detected
Bovine Parvovirus		Not Detected	Not Detected
Bovine Viral Diarrhea (cyto	Bovine Viral Diarrhea (cytopathic)		Not Detected
Bovine Viral Diarrhea (non	Bovine Viral Diarrhea (non-cytopathic)		Tested
Bovine Syncytial Virus		Not Detected	Not Detected
Bovine Rabies Virus		Not Detected	Not Detected
Reovirus		Not Detected	Not Detected
Physical Testing			
Electrophoretic Pattern	Cellulose Acetate	Normal	Normal
Osmolality	USP<785>	260-350 m0sm/kg	306 m0sm/kg
pH @ RT	USP<791>	6.5 – 8.5	7.15
PIT C IN	201 21212	0.0 - 0.0	1.10



Certificate of Analysis

Created January 17, 2019

Product:

BenchMark™ Fetal Bovine Serum

Triple 0.1µm sterile-filtered

Catalog #: 100-106 Lot #: A61G00J

Origin: Nicaragua (100%)

Manufacture Date: Oct 2018
Expiration Date: Oct 2023

	water with the same			m-KSF = 2" x fs x - af
TEST	METHODOLOGY	SPECIFICATION	RESU	LTS
Albumin		Test and Report	2.3	g/dL
Alkaline Phosphatase		Test and Report	289	U/L
ALT (SGPT)		Test and Report	5	U/L
AST (SGOT)		Test and Report	37	U/L
GGT		<10 U/L	6	U/L
Bilirubin, Total		Test and Report	0.2	mg/dL
BUN		Test and Report	19	mg/dL
Calcium		Test and Report	3.23	mM
Chloride		Test and Report	101	mM
Cholesterol		Test and Report	33	mg/dL
Cortisol		Test and Report	8.00	nM
Creatinine		Test and Report	2.6	mg/dL
Estradiol		Test and Report	54.7	pM
Glucose		Test and Report	2.33	mM
IgG	ELISA	<0.300 mg/mL*	0.090	mg/mL
Insulin		Test and Report	54.0	pM
Iron, Serum		Test and Report	159	ug/dL
Phosphorus		Test and Report	2.58	mM
Potassium		Test and Report	>10.0	mM
Progesterone		Test and Report	<0.19	nM
Protein, Total	Biuret	2.5-6.0 g/dL	3.6	g/dL
Sodium		Test and Report	139	mM
Testosterone		Test and Report	<0.03	nM
Т3		Test and Report	0.73	nM
T4		Test and Report	203	nM
Triglycerides		Test and Report	48	mg/dL
Tetracycline		<4 ng/mL	Pass	
Uric Acid		Test and Report	0.9	mg/dL

For Cell Culture, further Manufacturing and Research use only. Not for direct Therapeutic use.

Results shown were obtained by carefully performed methods believed to be reliable. However, since some results may vary by methodology, it is suggested that tests for which results are particularly critical be repeated by the end user.

Our fetal bovine serum meets all USDA requirements and has passed ante- and post-mortem inspection by a licensed veterinarian. It is collected in countries recognized as being free of foot-and-mouth disease and rinderpest. The origin of all fetal bovine serum is traceable by lot number, date and country of collection.

Precipitates may develop in this product upon freezing and/or thawing; this occurrence does not impact culture performance. *Some geographic regions may test higher than 0.300 mg/mL. If this be the case, refer to GGT results less than 10 U/L to ensure FBS purity.

CREATED BY/ DATE

VERIFIED BY/ DATE