

Certificate of Analysis

Created January 13, 2021

Product:

Bovine Serum Albumin (BSA) Fraction V—Low Electrolyte

Powder

Catalog #: 700-109P

Lot #: C021000

Origin: United States (100%)

Manufacture Date: Jan 2021
Expiration Date: Aug 2023

ongini omiou ourio (2007)		Expiration Pater Aug Educ	
TEST	M ETHODOLOGY	SPECIFICATION	RESULTS
Microbiological Testing			
Average APC		≤ 1000 cfu/g	30 cfu/g
Viral Testing	Modified 9 CFR 113.53c		
Extraneous Viruses (FAb)			
Bluetongue Virus		Not Detected	Not Detected
Vesicular Stomatitis Virus		Not Detected	Not Detected
Physical Testing			
pH @ RT, 10% Solution		5.0 to 5.6	5.3
Conductivity, 10% Solution		≤2,200 µS/cm	1609 µS/cm
Biochemical Testing			
Purity	HPLC	≥98 %	100%

This material was prepared from bovine plasma obtained from cattle of less than 30 months of age and that have received ante- and post-mortem health inspections from APHIS Inspectors within facilities inspected by the USDA.

For Cell Culture, further Manufacturing and Research use only. Not for direct Therapeutic use.

~ 13JAN 2021

Created by/ date

Verified by/ date