



CERTIFICATE OF ANALYSIS

Bovine Calf Serum

Charcoal Stripped

(Catalog Number 100-213)

Lot Number: C44J07L

Date of Manufacture: Mar2020

Origin: United States

Product Expiry: Mar2025

For Cell culture, Further Manufacturing or Research use Only. Not for Direct Therapeutic Use.


Storage Temperature: $\leq -10^{\circ}\text{C}$


Product description: *Bovine Calf Serum Charcoal Stripped is sterile-filtered through a 0.2 μm filter.*

Test	Methodology	Specification	Analysis
Biological Testing			
Hemoglobin		Report	<2.0 mg/dL
Microbiological Testing			
Sterility	USP<71>		
Bacteria		No Growth	No Growth
Fungi		No Growth	No Growth
Physical Testing			
pH@RT	USP<791>	Report	8.2
Osmolality	USP<785>	Report	360 mOsm/Kg
Biochemistry			
Protein, Total		Report	6.3 g/dL

This material was prepared from bovine plasma obtained from calves 12 months and younger and that have received ante- and post-mortem health inspections from APHIS Inspectors within facilities inspected by the USDA.

The testing that has been performed as part of this lot release has been reviewed by Quality Assurance personnel and has confirmed that the testing meets the specifications presented on this Certificate of Analysis.


Name _____
30mar2020


Title _____

Date