



**Product:** **Bovine Serum Albumin (BSA)**  
**Fraction V—Low Electrolyte**  
Powder

**Catalog #: 700-109P**

**Lot #: C58J00L**

**Origin: United States (100%)**

**Manufacture Date: OCT 2019**

**Expiration Date: OCT 2022**

TEST	METHODOLOGY	SPECIFICATION	RESULTS
<b>Microbiological Testing</b>			
Average APC	Aerobic Plate Count	≤1000cfu/g	20 cfu/g
<b>Viral Testing</b>			
Extraneous Viruses (FAB)	FA		
Bluetongue Virus		Not Detected	Not Detected
Vesicular Stomatitis Virus		Not Detected	Not Detected
<b>Physical Testing</b>			
pH @ RT, 10% Solution		5.0-5.6	5.1
Conductivity, 3% Solution		≤2,200 μS	626 μS/cm
<b>Biochemical Testing</b>			
Purity	Agarose Gel Electrophoresis	≥96%	100%

*Filtered through a 0.2 μm filter before lyophilizing*

*This material was prepared from bovine plasma obtained from cattle that have received ante- and post-mortem health inspections from APHIS Inspectors within facilities inspected by the USDA, and were free of infectious or contagious diseases.*

*For Cell Culture, further Manufacturing and Research use only. Not for direct Therapeutic use.*

20JUL2020

Verified by/ date