



Product: **Donor Goat Serum**
0.2µm sterile-filtered

Catalog #: 100-109

Lot #: E87H15K

Origin: United States (100%)

Manufacture Date: Dec 2019

Expiration Date: Dec 2024

TEST	SPECIFICATION	RESULTS
Biological Testing		
Endotoxin	Test and Report	<0.156 EU/mL
Microbiological Testing		
Sterility		
Bacteria	No Growth	No Growth
Fungi	No Growth	No Growth
Mycoplasma	None Detected	None Detected
Physical Testing		
pH	7.0 - 8.5	7.8
Biochemical Analysis		
Albumin	Test and Report	2.6 g/dL
Alkaline Phosphatase	Test and Report	84 U/L
ALT (SGPT)	Test and Report	32 U/L
AST (SGOT)	Test and Report	128 U/L
Bilirubin, Total	Test and Report	0.33 mg/dL
BUN	Test and Report	27 mg/dL
Calcium	Test and Report	8.9 mg/dL
Chloride	Test and Report	103 mEq/L
Cholesterol	Test and Report	44 mg/dL
Creatinine	Test and Report	0.70 mg/dL
Glucose	Test and Report	64 mg/dL
Hemoglobin	Test and Report	8.8 mg/dL
LDH	Test and Report	360 U/L
Phosphorus	Test and Report	6.5 mg/dL
Potassium	Test and Report	4.5 mEq/L
Protein, Total	Test and Report	7.4 g/dL
Sodium	Test and Report	143 mEq/L
Triglycerides	Test and Report	11 mg/dL
Uric Acid	Test and Report	< 0.2 mg/dL

For Cell Culture, further Manufacturing and Research use only. Not for direct Therapeutic use.

Ali 18 May 2020

Created by/ date

[Signature] 10MAY2020

Verified by/ date