



CERTIFICATE OF ANALYSIS
GemCell™ Human Serum AB
(Catalog Number 100-512)

Lot Number:

H121021

Date of Manufacture: Mar2021

Product Expiry: Mar2026

Origin: United States

Storage Temperature: ≤ -10°C

For Cell culture, Further Manufacturing or Research use Only. Not for Direct Therapeutic Use.

Product description: GemCell™ human serum AB is collected from healthy male donors of the AB serotype at FDA-licensed facilities located in the United States. Donor units are tested for infectious disease markers prior to processing and found to be non-reactive. Gemcell™ is converted to serum from human plasma using bovine thrombin and sterile-filtered through a 0.1 µm filter prior to freeze.

Test	Methodology	Specification	Analysis
Biological Testing			
Endotoxin	USP<85>, EP 2.6.14	< 10.0 EU/ mL	<0.750 EU/mL
Hemoglobin	Fleming, AF and Woolf, AJ (1985)	<20.0 mg/ dL	6.5 mg/dL
Microbiological Testing			
Sterility	USP<71>, EP 2.6.1		
Bacteria		No Growth	No Growth
Fungi		No Growth	No Growth
Mycoplasma	Barile, MF and Kern, J (1971), EP 2.6.7	Not Detected	Not Detected
Viral Testing			
HBsAg	21CFR 610.40 ABBOTT ChLIA	Non-Reactive	Non-Reactive
Anti-HCV	ABBOTT ChLIA	Non-Reactive	Non-Reactive
Anti-HIV-1/ HIV-2	ABBOTT ChLIA	Non-Reactive	Non-Reactive
Syphilis	ASI RPR	Negative	Negative
HBV-NAT	ROCHE NAT/ PCR	Not Detected	Not Detected
HIV-NAT	ROCHE NAT/ PCR	Not Detected	Not Detected
HCV-NAT	ROCHE NAT/ PCR	Not Detected	Not Detected
Physical Testing			
Osmolality	USP<785>, EP 2.2.35	260 – 350 mOsm/ kg	326 mOsm/kg
pH	USP<791>	Test and Report	7.97
Biochemistry			
Albumin		Test and Report	3.3 g/dL
ALT (SGPT)		Test and Report	11 U/L
AST (SGOT)		Test and Report	14 U/L



CERTIFICATE OF ANALYSIS

GemCell™ Human Serum AB

(Catalog Number 100-512)

Lot Number:

H121021

Test	Methodology	Specification	Analysis
Bilirubin, Total		Test and Report	0.3 mg/dL
BUN		Test and Report	11 mg/dL
Calcium		Test and Report	>15.0 mg/dL
Chloride		Test and Report	115 mmol/L
Cholesterol		Test and Report	138 mg/dL
Creatinine		Test and Report	0.67 mg/dL
Glucose		Test and Report	94 mg/dL
Phosphorus		Test and Report	3.1 mg/dL
Potassium		Test and Report	3.9 mmol/L
Protein, Total	Biuret	Test and Report	5.2 g/dL
Sodium		Test and Report	>165 mmol/L
Triglycerides		Test and Report	97 mg/dL
Uric Acid		Test and Report	3.6 mg/dL

All blood products are collected from stringently screened male donors at FDA-licensed collection centers located in the United States. This product is a pool of > 100 donor units and the viral testing is performed on the individual donor units. All other testing is performed on the final product pool prior to release. The bovine thrombin that is used as part of the conversion to serum is sourced from controlled herds located in the United States and the source cattle are ante and post-mortem inspected by a U.S. Veterinary Service Inspector where they were deemed free of infectious and contagious diseases. All animals used in the production of the thrombin were from a natural beef program in accordance with FDA regulations. Material is derived from human blood and should be considered biohazardous. Universal precautions should be used when handling this material.

The testing that has been performed as part of this lot release has been reviewed by Quality Assurance personnel and has confirmed that the testing meets the specifications presented on this Certificate of Analysis.

Heena Z Khan
Name

QC Associate
Title

10 JUN 2021
Date