



GEMINI
BIO-PRODUCTS

Certificate of Analysis

Created July 15, 2019

Product: Human Albumin Solution—20%

Catalog #: 800-121

Lot #: H83W13J

Origin: United States (100%)



Manufacture Date: Jun 2018

Expiration Date: Jun 2021

TEST	METHODOLOGY	SPECIFICATION	RESULTS
Viral Testing	21 CFR 610.40		
HBsAg		Non-Reactive	Non-Reactive
Anti-HCV		Non-Reactive	Non-Reactive
Anti-HIV-1/HIV-2		Non-Reactive	Non-Reactive
HIV-1		Non-Reactive	Non-Reactive
Syphilis		Negative	Negative
HIV-NAT		Non-Reactive	Non-Reactive
HCV-NAT		Non-Reactive	Non-Reactive
HBV-NAT		Non-Reactive	Non-Reactive
Physical Testing			
Protein		Test and Report	20.0 g/dL
Endotoxin		Test and Report	<0.05 EU/ml

For Cell Culture, further Manufacturing and Research use only. Not for direct Therapeutic use. Results shown were obtained by carefully performed methods believed to be reliable. However, since some results may vary for specific tests depending upon methodology and other variables, it is suggested that tests for which results are particularly important be repeated by the user of this product.

All human plasma is collected from stringently screened donors at FDA-licensed collection centers in the United States. All donors are tested and found to be negative for Indirect Antiglobulin.



 Created by/ date 15 JUL 2019 Verified by/ date 15 JUL 2019