



GEMINI
BIO-PRODUCTS

Certificate of Analysis

Updated June 11, 2018

Product: **GemCell™ Human Serum AB**
0.1µm sterile-filtered

Catalog #: 100-512

Lot #: H98S03I

Origin: United States (100%)

Manufacture Date: May 2017

Expiration Date: May 2022

TEST	METHODOLOGY	SPECIFICATION	RESULTS
Biological Testing			
Endotoxin	USP<85>	< 10 EU/mL	0.7 EU/mL
Hemoglobin	Fleming, AF and Woolf, AJ (1965)	<20.0 mg/dL	6.4 mg/dL
Microbiological Testing			
Sterility	USP<71>		
Bacteria		Not Detected	Not Detected
Fungi		Not Detected	Not Detected
Mycoplasma	Barile, MF and Kern, J (1971)	Not Detected	Not Detected
Viral Testing			
	21 CFR 610.40		
HBsAg		Non-Reactive	Non-Reactive
Anti-HCV		Non-Reactive	Non-Reactive
Anti-HIV-1/HIV-2		Non-Reactive	Non-Reactive
Syphilis		Negative	Negative
HBV-NAT		Not Detected	Not Detected
HIV-NAT		Not Detected	Not Detected
HCV-NAT		Not Detected	Not Detected
Physical Testing			
Osmolality	USP<785>	260-350 mOsm/kg	288 mOsm/kg
pH	USP<791>	Report	7.7



Biochemical Testing

Product: GemCell™ Human Serum AB
0.1µm sterile-filtered

Catalog #: 100-512

Lot #: H98S03I

Origin: United States (100%)

Manufacture Date: May 2017

Expiration Date: May 2022

TEST	METHODOLOGY	SPECIFICATION	RESULTS
Albumin		Test and Report	3.4 g/dL
ALT (SGPT)		Test and Report	8 U/L
AST (SGOT)		Test and Report	13 U/L
Bilirubin, Total		Test and Report	0.3 mg/dL
BUN		Test and Report	3 mg/dL
Calcium		Test and Report	2.23 mM
Chloride		Test and Report	124 mM
Cholesterol		Test and Report	131 mg/dL
Creatinine		Test and Report	<0.20 mg/dL
Glucose		Test and Report	5.27 mM
Phosphorus		Test and Report	0.90 mM
Potassium		Test and Report	3.8 mM
Protein, Total	Biuret	Test and Report	5.0 g/dL
Sodium		Test and Report	142 mM
Triglycerides		Test and Report	75 mg/dL
Uric Acid		Test and Report	<1.5 mg/dL

All human blood products are collected from stringently screened donors at FDA-licensed collection centers in the United States. Results shown were obtained by carefully performed methods believed to be reliable. As some results may vary for specific tests depending upon methodology and other variables, it is suggested that tests for which results are particularly important be repeated by the user of this product. Lot specific samples are available at the customer's request and users are encouraged to evaluate the sample prior to purchase. Precipitates may develop in this product upon freezing and/or thawing; this occurrence does not impact culture performance.

CAUTION: This material is sold for in-vitro use only in manufacturing and research. This material is not intended for human use and is suitable for scientific, education and research purposes only. It is the responsibility of the user to undertake verification and testing to determine the suitability of this product's application. The statements herein are offered for informational purposes and are intended to be used solely for your consideration, investigation and verification.


Created by


Verified by



Addendum

Created June 11, 2018

Product: **GemCell™ Human Serum AB**
0.1µm sterile-filtered

Catalog #: 100-512
Lot #: H98S03I
Origin: United States (100%)

Manufacture Date: May 2017
Expiration Date: May 2022

*Addendum – Ferritin test results show 52 ng/mL