



GEMINI
BIO-PRODUCTS

Certificate of Analysis

Created December 31, 2018

Product: **Human Plasma**
From Whole Blood
In K2 EDTA

Catalog #: 100-400
Lot #: H98W03J - H27X03J
Origin: United States (100%)

Collection Date: Dec 2018
Expiration Date: Dec 2023

DONOR RECORD SHEET

Lot #	Pooling Date	Race	Gender	Age
H98W03J	Dec-18	B	Male	41
H99W03J	Dec-18	HC	Male	42
H00X03J	Dec-18	B	Male	54
H01X03J	Dec-18	B	Male	19
H02X03J	Dec-18	B	Male	24
H03X03J	Dec-18	B	Male	41
H04X03J	Dec-18	B	Male	23
H05X03J	Dec-18	B	Male	55
H06X03J	Dec-18	HB	Male	38
H07X03J	Dec-18	HB	Male	46
H08X03J	Dec-18	HC	Male	23
H09X03J	Dec-18	HB	Male	67
H10X03J	Dec-18	HC	Male	48
H11X03J	Dec-18	HB	Male	27
H12X03J	Dec-18	B	Male	23
H13X03J	Dec-18	B	Female	37
H14X03J	Dec-18	C	Female	41
H15X03J	Dec-18	O	Female	32
H16X03J	Dec-18	B	Female	38
H17X03J	Dec-18	B	Female	26
H18X03J	Dec-18	B	Female	29
H19X03J	Dec-18	HC	Female	34
H20X03J	Dec-18	B	Female	45
H21X03J	Dec-18	B	Female	33
H22X03J	Dec-18	B	Female	34

Lot #	Pooling Date	Race	Gender	Age
H23X03J	Dec-18	B	Female	25
H24X03J	Dec-18	B	Female	48
H25X03J	Dec-18	B	Female	27
H26X03J	Dec-18	C	Female	51
H27X03J	Dec-18	B	Female	26



GEMINI
BIO-PRODUCTS

Certificate of Analysis

Created December 31, 2018

Product: **Human Plasma**
From Whole Blood
In K2 EDTA

Catalog #: 100-400
Lot #: H98W03J - H27X03J
Origin: United States (100%)

Collection Date: Dec 2018
Expiration Date: Dec 2023

Description: Human plasma-derived from individual whole blood donations (each from a separate donation).

Testing: This material has been tested by an FDA approved test and found to be negative for Chagas, HBsAg, HBV-NAT, HIV-1/2, HIV-1 NAT, HCV, HCV-NAT, Syphilis and WNV.

Anticoagulant: K2 EDTA

*All human materials should be handled as though capable of transmitting infectious agents.
For further manufacturing or laboratory use. Not for human or animal consumption.*

Mark Weber 12/31/2018

CREATED BY/DATE

[Signature] 12/31/2018

VERIFIED BY/DATE