



## CERTIFICATE OF ANALYSIS

### **Charcoal: Dextran Stripped Fetal Bovine Serum**

**(Catalog Number 100-119)**

Lot Number: A423006

**Date of Manufacture:** Feb2022

**Product Expiry:** Feb2027

**Origin:** United States

**Storage Temperature:** ≤ -10°C

For Cell culture, Further Manufacturing or Research use Only. Not for Direct Therapeutic Use.

**Product Description:** Charcoal: Dextran Stripped Fetal Bovine Serum is sterile-filtered through a 0.1 µm filter prior to freezing.

Test	Methodology	Specification	Analysis
<b>Biological Testing</b>			
Endotoxin	USP<85>, EP 2.6.14	<10.0 EU/mL	<1 EU/mL
Hemoglobin	USP<90>	<20.0 mg/dL	3.78 mg/dL
<b>Microbiological Testing</b>			
Sterility	USP<71>, EP2.6.1		
Bacteria		No Growth	No Growth
Fungi		No Growth	No Growth
Mycoplasma	Barile and Kern & Hoechst Fluorochrome Stain	Not Detected	Not Detected
<b>Viral Testing</b>			
Cytopathic Agents	9CFR113.53c[113.46,113.47]	Not Detected	Not Detected
Hemadsorbing Agents		Not Detected	Not Detected
Extraneous Viruses (FAB)			
Bluetongue Virus		Not Detected	Not Detected
Bovine Adenovirus		Not Detected	Not Detected
Bovine Parvovirus		Not Detected	Not Detected
Bovine Viral Diarrhea (Cytopathic)		Not Detected	Not Detected
Bovine Respiratory Syncytial Virus		Not Detected	Not Detected
Rabies Virus		Not Detected	Not Detected
Reovirus		Not Detected	Not Detected
<b>Physical Testing</b>			
Electrophoretic Pattern	Cellulose Acetate Electrophoresis	Normal	Normal
Osmolality	USP<785>, EP2.2.35	260-350mOsm/kg	304 mOsm/kg
pH@RT	USP<791>, EP 2.2.3	6.5 – 8.5	7.48
<b>Biochemistry</b>			
Albumin		Test and Report	1.9 g/dL
Alkaline Phosphatase		Test and Report	181 IU/L
ALT (SGPT)		Test and Report	5 IU/L



## CERTIFICATE OF ANALYSIS

### Charcoal: Dextran Stripped Fetal Bovine Serum

(Catalog Number 100-119)

Lot Number: A423006

Test	Methodology	Specification	Analysis
AST (SGOT)	Chemistry Analyzer	Test and Report	47 IU/L
GGT		<10 U/L	4 IU/L
Bilirubin, Total		Test and Report	0.1 mg/dL
BUN		Test and Report	13 mg/dL
Calcium		Test and Report	11.9 mg/dL
Chloride		Test and Report	97 mmol/L
Cholesterol		Test and Report	27 mg/dL
Cortisol		Test and Report	<0.20 µg/dL
Creatinine		Test and Report	0.0 mg/dL
Glucose		Test and Report	100 mg/dL
IgG	ELISA	<0.300 mg/mL*	0.0898 mg/mL
Insulin		Test and Report	<2.36 µIU/mL
Iron, Serum		Test and Report	172 µg/dL
Phosphorus		Test and Report	9.8 mg/dL
Potassium		Test and Report	11.2 mmol/L
Progesterone		Test and Report	<0.1 ng/mL
Protein, Total		2.5 – 6.0 g/dL	3.2 g/dL
Sodium		Test and Report	135 mmol/L
Testosterone		Test and Report	<0.01 ng/mL
T3		Test and Report	<0.10 ng/dL
T4	USP<1057>, EP 2.5.33	Test and Report	3.0 µg/dL
Triglycerides		Test and Report	62 mg/dL
Uric Acid		Test and Report	0.0 mg/dL

Our fetal bovine serum meets all USDA requirements and has passed ante and post-mortem inspection by a licensed veterinarian. It is collected in countries recognized as being free of foot-and-mouth disease and rinderpest. The origin of all fetal bovine serum is traceable by lot number, date and country of collection. Precipitates may develop in this product upon freezing and/or thawing; this occurrence does not impact culture performance. \*Some geographic regions may test higher than 0.300 mg/mL. If this be the case, refer to GGT results less than 10 U/L to ensure FBS purity.

The testing that has been performed as part of this lot release has been reviewed by Quality Assurance personnel and has confirmed that the testing meets the specifications presented on this Certificate of Analysis.

Name

Title

Date

Marguerite Wilson

QA Specialist

17 APR 2023